



Base mapping produced under license with the Ontario Ministry of Natural Resources © 2010.
 Source Protection Region Boundary provided by Ontario Ministry of Environment, 2006.
 Impervious Surface produced by ABMV SPR, 2010
 Intake Protection Zone and Vulnerability scoring provided by Stantec Consulting Ltd.
 Surface Water Vulnerability Assessment Addendum for the Lake Huron Water Treatment Plant
 Phase 1 Addendum, 2009.

LEGEND

<p>Map 4.98 Total Impervious Surface Within Vulnerable Areas North Middlesex</p> <ul style="list-style-type: none"> Source Protection Area Municipal Boundary County Boundary Watercourse Road Cities and Towns Municipal Well Surface Water Intake 	<p>Wellhead Protection Zone</p> <ul style="list-style-type: none"> Zone A - 100m Zone B - 2yr tot Zone C - 5yr tot Zone D - 25yr tot Zone E - GUDI zone <p>Intake Protection Zone</p> <ul style="list-style-type: none"> IPZ1 IPZ2 	<p>Impervious Surface Percent</p> <ul style="list-style-type: none"> < 1.0 1.0 - < 8.0 8.0 - < 80.0 > 80.0 1km Grid
---	--	--

Map Projection: UTM NAD83 Zone 17

Ausable Bayfield & Maitland Valley Source Protection Region

Map 4.98 Total Impervious Surface Within Vulnerable Areas North Middlesex

File: C:\swplsmall_projects\cathy\assessment_report_municipal\imp_surface_north_middlesex_v6.mxd
 Date: May 17, 2011
 Produced By: Darrell Innes ABCA/MVCA DWSP Region

ABCA/MVCA GIS Services
 Copyright © Queen's Printer, 2010
 This map is for illustrative purposes only, it is not a legal survey.