



Base mapping produced under license with the Ontario Ministry of Natural Resources © 2015.
 Source Protection Region Boundary provided by Ontario Ministry of Environment, 2006.
 Wellhead Capture Zone and Vulnerability scoring provided by Matrix Solutions Inc., 2016.
 SGRA produced by ABMV SPR, 2009
 Intake Protection Zone and Vulnerability scoring provided by W. F. Baird & Associates Coastal Engineers Ltd. Surface Water Vulnerability Analysis for Goderich Intake, August, 2007.
 Round 2 Groundwater Technical Study Groundwater Vulnerability Assessment for the Municipalities of West Grey and Northern Bruce Peninsula Saugeen, Grey-Sauble, Northern Bruce Peninsula Source Protection Region. Conestoga-Rovers & Associates. 2008.

**Map 4.120
 Significant Groundwater Recharge Areas
 Huron-Kinloss**

LEGEND

<ul style="list-style-type: none"> Source Protection Area Municipal Boundary County Boundary Road Watercourse Cities and Towns Municipal Well Surface Water Intake 	<p>Wellhead Protection Zone</p> <ul style="list-style-type: none"> Zone A - 100m Zone B - 2yr tot Zone C - 5yr tot Zone D - 25yr tot Zone E - GUDI zone <p>Intake Protection Zone</p> <ul style="list-style-type: none"> IPZ1 IPZ2 	<p>Significant Groundwater Recharge Area Vulnerability Scoring</p> <ul style="list-style-type: none"> GWVA 6 GWVA 4 GWVA 2
--	--	---

Map Projection: UTM NAD83 Zone 17

DRINKING WATER
SOURCE PROTECTION
 Our Actions Matter

**Map 4.120
 Significant Groundwater Recharge Areas
 Huron-Kinloss**

ABCA/MVCA GIS Services
 Copyright © Queen's Printer, 2017
 This map is for illustrative purposes only, it is not a legal survey.

File: Y:\Projects_Mxds\SWPAR_Maps\MV\Huron_Kinloss_SGRA.mxd
 Date: Dec 19, 2017
 Produced By: A. Clarke ABCA/MVCA DWSP Region